	Application No.	Applicant(s)
Notice of Allowability	10/043,084	PYRON, ROGER
	Examin r	Art Unit
	DHIRU R PATEL	2831
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>12/11/03</u> .		
2. The allowed claim(s) is/are <u>1 and 3-22</u> .		
3. The drawings filed on <u>09 January 2002</u> are accepted by the Examiner.		
 4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78. (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first contence of the specification or in an Application Data Sheet. 37 CFR 1.78. 		
in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE		
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
8. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) ☐ hereto or 2) ☐ to Paper No		
(b) ☐ including changes required by the proposed drawing correction filed, which has been approved by the Examiner.		
(c) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).		
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachm nt(s)		
1☐ Notice of References Cited (PTO-892)	5☐ Notice of Informal Pa	tent Application (PTO-152)
2 Notice of Draftperson's Patent Drawing Review (PTO-948)		PTO-413), Paper No. 12 03
3 Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No. 1203	7⊠ Examiner's Amendme	ent/Comment
4☐ Examiner's Comment Regarding Requirement for Deposit	8 ■ Examiner's Statemen	t of Reasons for Allowance
of Biological Material		DHIRU R PATEL Primary Examiner Art Unit: 2831

U.S. Patent and Trademark Office

Serial Number: 10/043084 Page 2

Art Unit: 2831

Part III DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this Examiner's Amendment was given in a telephone interview with S. Abbruzzese on 12/29/2003.

2. The application has been amended as follows:

In the Claims:

In claim 3 line 1, change "2" to -- 1--.

In claim 21 line 1, change "19" to -- 20--.

In claim 22 line 1, change "19" to -- 20--.

Allowable Subject Matter

3. The following is a statement of reasons for the indication of allowable subject matter: The primary reasons for the indication of the allowability of claims 1, 3 -22 are the inclusion therein, in combination as currently claimed, of the limitation of at least one glide bar supported by said sidewall (for claims 1, 3-15), and a plurality of glide bar holders, wherein each holder includes a pair of opposed u-shaped members connected

.

Serial Number: 10/043084 Page 3

Art Unit: 2831

to an interior of said sidewall proximate to one of said access ports (for claims 16-19), and at least one pair of opposed glide bar holders on said sidewall and at least one glide bar supported by said glide bar holders (for claims 20-22).

The previously listed limitations are neither disclosed nor taught by the prior art of record, alone or in combination.

Contact information

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dhiru Patel whose telephone number is (703) 308 - 3748. The examiner can normally be reached on Mondays- Thursdays from 6:30 am to 4:00 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard be reached at 703-308-3682. The fax number for this Group is 703-305-3431. Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-1782.

Dhiru Patel Patent Examiner Group Art Unit 2831 December 29, 2003 DhiruR Plet Primary Examiner 1429103.